

AJD 132

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &-
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	132,00	105,00	120,00	96,00	173,00

fPQDE' GC ;) & "

fDF DE' %& GC " \$(* z&(GC

) & z

Standard Specifications

z

fl ! E

z

z

1

fl ! E

fl " E

fPQ \$\$\$ \$\$\$ E

fl " \$ E

ALTERNATOR

TRANSFER SWITCH

AJD 132

John Deere
Mecc Alte
P 602

Manufacturer	John Deere		
Model	6068 T		
		% \$ \$ ' "# "	
		%&%' \$ \$ ' "	
		0% & Z \$ \$ < DQ	
	L	6,800	
	"	106 X127	
		17:1	
	fl # ı	"# "	1500
	fl ı	L	17,00
		L	35,00
AbsorbedAirDischargeReSourceKey.Text	' # "	7,00	
	' # "	159,00	
	' # "	18,60	
	° C	584,00	
		12 V d.c.	
	Load	% \$ \$ İ	'+) İ
	# ") \$ İ	
		26,70	20,20 14,00

		Mecc Alte
		ECP 34-1L/4
	Hz	50
	"	130,00
7 cg'		0,80
		3
	fl ı	400/230
	A	187,00

		fl ı		fl ı	
	"	"	"	"	L
AJD 132	1440,00	2300,00	1150,00	1504,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1860	3400	1217	1938	380

AJD 132

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUhi g'@98fj''
- 6 C dYfU]hcb'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc'A U]bg': U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhrcd'di g\ 'Vi hrcb'UbX ž gYg ZcfVëbfc''V]fV]jg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëU]b['cZghYY''dfcj]XYg Vëffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][\ ['cgg'UbX'YI fYa Y'mXi fUV'Y ž]b]g\''@cW]UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV]gg'hc''Vëa dcbYbrg''

'7 cbfrc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'Uhih'Y f][\hig]XY'cZh'Y [YbYfUrcf'gyhfK \Yb'mci
'cc_'Uhih'Y; Yb''GYH'Zca '5'fYfbUrcfë

H\Y''8G9''\$&\$]g'U'ghUbXUfX Vëbfc''a cXi 'Y'Zfc'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghrcd'X]YgY'UbX'[Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
Z]ei YbVhžj c'žW'fYbžYb[]bY'c' d'fYggi fyžVëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHYfmj'c'hg''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'imUbX'gk]W'c] Yf'hc'h'Y [YbYfUrcf'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]Yg'cdYfU]hcbU'ghUhi g'UbX'Z]i 'hVëbX]hcbgž'5i hca U]W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['fhi Y'žfghi d
Z]i 'hVëbX]hcb'cZ; Yb''GYhZ]i fy''H\Y'@7 8'X]gd'Um]bX]W]Yg'h'Y'Z]i 'h'

A]WëdrcW'ggcf Vëbfc''YX''
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX''
(!]bYž*('1' % & d] Y'X]gd'Um'

5i hca U]W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]hrc'UbX [YbYfUrcf'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Urci h'
F Ya chY'ghUf'

9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7 cbfrc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHf]b['X]gd'Umg''

AJD 132

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUHV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbX'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g] YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] '
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'YbVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'fYbU]h] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\] [\ fY']UV]]h'

AJD 132

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380